



# Mobile document reader Regula 7308



The most compact mobile full page passport reader with no moving parts inside.

Automatic reading and authenticity verification of passports, IDs, visas, driver's licenses and other identification documents.

Optical character recognition, reading of barcodes, RFID chips.



A mobile compact size model with a shoulder strap. The body is made of hard plastic (IP54). Full data processing onboard with a built-in PC. The reader can be connected to an external PC or any other visualization device (tablet PC, smart phone, etc.)\* via wireless network (Wi-Fi). Power supply: two rechargeable batteries (hot change is possible). No moving parts. Reliable, convenient and easy-to-use.

The device allows capturing images in white, infrared, ultraviolet and coaxial lights. It has a module for reading RFID chips. The device is supplied with software development kit (SDK) for easy integration into existing end-user systems.

\* - supplied optionally

#### **Functionality**

- · Capturing and processing images
  - supported document formats
    - ID-1
    - ID-2
    - ID-3
    - other documents with maximum size 88×128 mm
  - automatic detection of a document in a scanning zone
  - o automatic scanning after document detection
  - elimination of glare from laminate and holograms in white and IR light
  - compensation of external light hitting during image capture in ultraviolet light (Smart UV)
  - automatic selection of UV illumination intensity according to the document type
  - search and cropping of a document image from a general image
- The MRZ detection and recognition
- Recognition and reading of 1D and 2D barcodes
- Automatic recognition of a document type
- Processing graphic fields
- OCR of the visual zone
- Reading RFID tags
- Analyzing and comparing text data
- Automatic authenticity verification of a document

#### Operation

- 1. The optical reader automatically detects a document in the scanning area of the device.
- 2. Document images are captured in different illumination modes. At the same time data is read from RFID tags and smart cards.
- 3. Regula Document Reader SDK processes data.
- 4. Results of the verification are ready for further use.

#### **Application**

- · Border control services
- Aviation security services
- Law-enforcement agencies
- Immigration services
- Financial institutions
- Hotels
- Car rental and leasing companies
- Cellular companies
- · Business centers security service
- Event-agencies
- Medical institutions
- Tourist agencies



- Ticket offices
- Visa support agencies and consulates
- Insurance companies
- Casino security service

## **Delivery Set**

• Regula Document Reader SDK



Functionality		Model			
		7308.100	7308.110	7308.111	
Optical reader light sources	White	+	+	+	
	Infrared 870 nm	+	+	+	
	Ultraviolet 365 nm		+	+	
	Coaxial white			+	
Reader of radio frequency identification devices (RFID)		+	+	+	

#### **Optical reader**

- Scanning area, mm 88×128: full passport page
- Video sensor:
  - ∘ type CMOS
  - colour model RGB
  - o colour depth, bit 24

Megapixels	3,1	1
Resolution, ppi	380	180
Frame size, pixels	2048×1536	1024×768

#### Reader of radio frequency identification devices (RFID)

- Supported standards ISO 14443: type A and B
- Data exchange rate, Kbaud 106, 212, 424, 848
- Reading an RFID tag regardless of its position in the document
- Anti-collision: reading an RFID tag according to the MRZ

#### **Device technical specifications**

- Built-in PC:
  - CPU Intel® Atom™ Z3735F quad core 1,33 GHz
  - ∘ DDR RAM, GB 2
- Protection rating IP54
- 1 external USB 2.0 port for connection of peripherals (for example, fingerprint scanner)
- Connection interface with result visualization device wireless network (Wi-Fi) with up to 150 Mbps speed
- Power supply two rechargeable batteries 4,4 Ah, 7,2 V
- Time of autonomous operation with two fully charged batteries, not less than, h 7,5
- Overall dimensions (length×width×height), mm 225×170×102
- Weight, not more than, kg 1,7



# **Document reader software development kit (SDK)**

SDK (Full) consists of three modules:

- Basic supplied together with a device by default
- VizOCR reading textual fields from a document page
- AAC automatic authenticity control

VizOCR and AAC modules are optional and used to extend the functionality of Basic module.

Updates for SDK are provided regularly. Basic module has unlimited support. VizOCR and AAC are updated on subscription basis.

Document image capture and processing	Functionality		Full SDK modules			
Document formats  • ID-1 (identity card) • ID-2 (passport card, visa) • ID-3 (passport) • other document formats up to 88×128 mm  • document detection sensor • automatic scanning after document detection • elimination of glare from laminate and holograms for white and infrared illumination • compensation of external light hitting during image capture in UV light (Smart UV) • automatic intensity selection of UV illumination for a certain document type • search and cropping of a document image from a received image   Machine readable zone (MRZ)  Supported MRZ formats  • in conformity with ICAO 9303: • 44×2 • 30×3 • 36×2 • in conformity with ISO IEC 18013 (IDL): • 30×1 • support of special MRZ data structure for documents of certain countries  Features  • search for the MRZ along the whole document image • MRZ recognition in infrared and white light • control of check digits and data structure in conformity with the requirements of ICAO 9303 and BSI TR-03105 Part 5.1 • evaluation of MRZ quality specifications in conformity with ICAO 9303, ISO 7501, 1831, 1073-2 standards  Barcodes  Supported formats  • 1D: Codabar, Code39 (+extended), Code93, Code128, EAN-8, EAN-13, IATA 2 of 5 (Airline), Interleaved 2 of 5 (TFF), Matrix 2 of 5, STF (Industrial),			(supplied	VizOCR	AAC	
ID-2 (passport card, visa) ID-3 (passport) other document formats up to 88×128 mm  Scanning process  document detection sensor automatic scanning after document detection elimination of glare from laminate and holograms for white and infrared illumination compensation of external light hitting during image capture in UV light (Smart UV) automatic intensity selection of UV illumination for a certain document type search and cropping of a document image from a received image  Machine readable zone (MRZ)  Supported MRZ formats  in conformity with ICAO 9303:  44×2 30×3 36×2 in conformity with ISO IEC 18013 (IDL): 30×1 support of special MRZ data structure for documents of certain countries  Features  e search for the MRZ along the whole document image MRZ recognition in infrared and white light control of check digits and data structure in conformity with the requirements of ICAO 9303 and BSI TR-03105 Part 5.1 evaluation of MRZ quality specifications in conformity with ICAO 9303, ISO 7501, 1831, 1073-2 standards  Barcodes  Supported formats  1. Dic Codabar, Code39 (+extended), Code93, Code128, EAN-8, EAN-13, IATA 2 of 5 (Airline), Interleaved 2 of 5 (ITF), Matrix 2 of 5, STF (Industrial),	Doc	ument image capture and processing				
automatic scanning after document detection elimination of glare from laminate and holograms for white and infrared illumination compensation of external light hitting during image capture in UV light (Smart UV) automatic intensity selection of UV illumination for a certain document type search and cropping of a document image from a received image  Machine readable zone (MRZ)  Supported MRZ formats  in conformity with ICAO 9303: 44x2 30x3 30x3 30x1 support of special MRZ data structure for documents of certain countries  Features  search for the MRZ along the whole document image MRZ recognition in infrared and white light control of check digits and data structure in conformity with the requirements of ICAO 9303 and BSI TR-03105 Part 5.1 evaluation of MRZ quality specifications in conformity with ICAO 9303, ISO 7501, 1831, 1073-2 standards  Barcodes  Supported formats  1D: Codabar, Code39 (+extended), Code93, Code128, EAN-8, EAN-13, IATA 2 of 5 (Airline), Interleaved 2 of 5 (ITF), Matrix 2 of 5, STF (Industrial),	Document formats	<ul><li>ID-2 (passport card, visa)</li><li>ID-3 (passport)</li></ul>	+			
Supported MRZ formats  • in conformity with ICAO 9303:  • 44×2  • 30×3  • 36×2  • in conformity with ISO IEC 18013 (IDL):  • 30×1  • support of special MRZ data structure for documents of certain countries  Features  • search for the MRZ along the whole document image + MRZ recognition in infrared and white light  • control of check digits and data structure in conformity with the requirements of ICAO 9303 and BSI TR-03105 Part 5.1  • evaluation of MRZ quality specifications in conformity with ICAO 9303, ISO 7501, 1831, 1073-2 standards   Barcodes  Supported formats  • 1D: Codabar, Code39 (+extended), Code93, Code128, EAN-8, EAN-13, IATA 2 of 5 (Airline), Interleaved 2 of 5 (ITF), Matrix 2 of 5, STF (Industrial),	Scanning process	<ul> <li>automatic scanning after document detection</li> <li>elimination of glare from laminate and holograms for white and infrared illumination</li> <li>compensation of external light hitting during image capture in UV light (Smart UV)</li> <li>automatic intensity selection of UV illumination for a certain document type</li> <li>search and cropping of a document image from a</li> </ul>	+			
• 44×2 • 30×3 • 36×2 • in conformity with ISO IEC 18013 (IDL): • 30×1 • support of special MRZ data structure for documents of certain countries  Features • search for the MRZ along the whole document image • MRZ recognition in infrared and white light • control of check digits and data structure in conformity with the requirements of ICAO 9303 and BSI TR-03105 Part 5.1 • evaluation of MRZ quality specifications in conformity with ICAO 9303, ISO 7501, 1831, 1073-2 standards  Barcodes  Supported formats • 1D: Codabar, Code39 (+extended), Code93, Code128, EAN-8, EAN-13, IATA 2 of 5 (Airline), Interleaved 2 of 5 (ITF), Matrix 2 of 5, STF (Industrial),		Machine readable zone (MRZ)				
MRZ recognition in infrared and white light     control of check digits and data structure in conformity with the requirements of ICAO 9303 and BSI TR-03105 Part 5.1     evaluation of MRZ quality specifications in conformity with ICAO 9303, ISO 7501, 1831, 1073-2 standards  Barcodes  Supported formats      1D: Codabar, Code39 (+extended), Code93, Code128, EAN-8, EAN-13, IATA 2 of 5 (Airline), Interleaved 2 of 5 (ITF), Matrix 2 of 5, STF (Industrial),	Supported MRZ formats	<ul> <li>44×2</li> <li>30×3</li> <li>36×2</li> <li>in conformity with ISO IEC 18013 (IDL):</li> <li>30×1</li> <li>support of special MRZ data structure for documents</li> </ul>	+			
• 1D: Codabar, Code39 (+extended), Code93, Code128, EAN-8, EAN-13, IATA 2 of 5 (Airline), Interleaved 2 of 5 (ITF), Matrix 2 of 5, STF (Industrial),	Features	<ul> <li>MRZ recognition in infrared and white light</li> <li>control of check digits and data structure in conformity with the requirements of ICAO 9303 and BSI TR-03105 Part 5.1</li> <li>evaluation of MRZ quality specifications in conformity</li> </ul>	+			
Code128, EAN-8, EAN-13, IATA 2 of 5 (Airline), Interleaved 2 of 5 (ITF), Matrix 2 of 5, STF (Industrial),		Barcodes				
	Supported formats	Code128, EAN-8, EAN-13, IATA 2 of 5 (Airline), Interleaved 2 of 5 (ITF), Matrix 2 of 5, STF (Industrial),	+			



	<ul><li>2D: PDF417</li><li>2D on request: Aztec Code, QR Code, Datamatrix</li></ul>			
Authentication	barcode format check			+
	stomatic document type recognition			·
Order of document type	Country→Type→Series		+	+
recognition			·	·
Features	<ul> <li>receiving a document template from the SDK database containing the following information:         <ul> <li>text and graphic fields position</li> <li>availability of barcodes and security features</li> <li>authenticity verification and its parameters</li> <li>RFID-chip availability</li> <li>a reference image from Information Reference Systems «Passport», «Autodocs», «Frontline Documents System»</li> </ul> </li> <li>processing of the received document images in compliance with the sample, including document image rotation by the angle given in the sample</li> </ul>		+	+
	Graphic fields processing			
Types of graphic fields	<ul> <li>portrait of the document holder</li> <li>signature</li> <li>barcode</li> <li>fingerprint, etc.</li> </ul>	+		
Features	<ul> <li>cropping and displaying graphic fields as separate images in compliance with the sample of the corresponding document</li> <li>automatic searching of faces on the document image and cropping the document holder portrait if the document type is not recognized</li> <li>document image rotation according to the document holder portrait position</li> </ul>	+		
	OCR of the visual zone			
Recognition of character sets	<ul> <li>Central European and Eastern European Latin (1250)</li> <li>Cyrillic (1251)</li> <li>Western European Latin (1252)</li> <li>Greek (1253)</li> <li>Turkish (1254)</li> <li>Baltic (1257)</li> <li>other fonts of any size</li> </ul>		+	
Features	<ul> <li>dictionary support (name, surname, address, country, etc.)</li> <li>automatic text division into separate fields (e.g. dividing the address into postal code, country, state, etc.)</li> <li>recognition of dates with complex formats</li> <li>recognition of characters from different character sets in one line</li> </ul>		+	
	RFID SDK			
Supported RFID-chip standards	<ul> <li>ISO/IEC 14443-2 (type A and B)</li> <li>ISO/IEC 14443-3 (MIFARE® Classic Protocol)</li> <li>ISO/IEC 14443-4</li> </ul>	+		
Data access modes	<ul><li>Direct</li><li>BAC</li></ul>	+		




	<ul><li>EAC</li><li>PACE</li><li>SAC</li></ul>		
Authentication	<ul> <li>active (AA)</li> <li>passive (PA)</li> <li>chip (CA v1, CA v2)</li> <li>terminal (TA v1, TA v2)</li> </ul>	+	
Supported applications	<ul> <li>ePassport (DG1-DG16)</li> <li>eID (DG1-DG21)</li> <li>eSign</li> <li>eDL (DG1-DG14)</li> </ul>	+	
Certificate management	<ul> <li>local storage</li> <li>receiving certificates online through the program interface</li> <li>Master List, CRL support</li> </ul>	+	
Features	<ul> <li>reading RFID chips with extended length support</li> <li>reading RFID chips in compliance with ICAO LDS 1.7, PKI 1.1 data formats</li> <li>certified by BSI TR-03105 Part 5.1, BSI TR-03105 Part 5.2</li> </ul>	+	
Ar	nalysis and comparison of text data		
Document areas for cross-checking of the readout data	<ul><li>MRZ</li><li>VIZ</li><li>RFID-chip</li><li>barcode</li></ul>	+	
Verification	<ul> <li>validity of any dates</li> <li>authenticity of names and surnames according to lists of wordstops</li> <li>zero numbers of sample documents</li> </ul>	+	
Adjustment of formats and measuring units to those used in the user OS	<ul><li>date</li><li>weight</li><li>height, etc.</li></ul>	+	
Features	<ul> <li>complete or partial comparison of fields</li> <li>integration of data received from several document pages</li> <li>calculated field support (age, etc.)</li> <li>transliteration to Latin characters in compliance with ICAO 9303 standards for comparison with the MRZ</li> </ul>	+	
Authenticity verification			
Operation available for any document	<ul> <li>checking luminescence (UV Dull Paper) of:         <ul> <li>the form</li> <li>the MRZ area</li> <li>the portrait area</li> </ul> </li> <li>checking the MRZ print contrast in compliance with ICAO 9303 (IR B900 lnk)</li> </ul>		+
Operations available after document type recognition	<ul> <li>checking image patterns in white, IR and UV light</li> <li>checking luminescence of UV protection fibers</li> <li>detection of false luminescence</li> <li>checking photo embedding type: printing or attachment</li> <li>checking IR Visibility of: <ul> <li>elements of the form</li> <li>text data</li> </ul> </li> </ul>		+




	<ul> <li>the photograph (main and additional)</li> <li>detection of holograms (OVD), OVI</li> <li>reading a luminescent text and comparing it with the data obtained from the MRZ and VIZ (OCR Security Text)</li> <li>visualization of IPI (Invisible Personal Information)</li> <li>checking retroreflective protection</li> <li>checking barcode format</li> </ul>		
Features	<ul> <li>checking operations are adjusted to documents with different degrees of wear and tear</li> <li>the choice of checking operations depends on security features available in a questioned document</li> </ul>		+
	Additional SDK functions		
Image formats	<ul> <li>.BMP</li> <li>.JPG</li> <li>.JP2</li> <li>.PNG</li> <li>.TIF</li> <li>other image formats are possible on request</li> </ul>	+	
Interoperability	<ul> <li>comparison modules:         <ul> <li>fingerprint images from RFID chip and externalfingerprint scanner</li> <li>face images from document data page and/or RFID chip</li> </ul> </li> <li>Information Reference Systems «<u>Passport</u>», «<u>Autodocs</u>», «<u>Frontline Documents System</u>»</li> </ul>	*	
OS compatibility	<ul> <li>Microsoft Windows XP (SP3), Windows 7 (x86, x64), Windows 8, Windows 10</li> </ul>	+	
Drivers	Microsoft certified	+	
Features	<ul> <li>simultaneous optical scanning and RFID chip reading</li> <li>firmware upgrade via USB interface (automatic upgrade after installing new SDK version)</li> <li>multilingual interface</li> </ul>	+	
	Software updates		
SDK	twice a year	*	
Document template database	• monthly	*	

<sup>\* -</sup> on request / individual agreement





Document data readout: textual data readout





Document data readout: graphic data readout






#### Performed security checks in white light



Performed security checks in infrared light






## Performed security checks in ultraviolet light



Performed security checks in different lights






Checking photo embedding type: printing or attachment



Checking the blank of the document





Retroreflective protection

UV dull paper in MRZ

Checking the personal data